

2017 Indiana Nursing Licensure Survey **Data Report**



Acknowledgments

The Bowen Center for Health Workforce Research and Policy would like to extend its gratitude to the individuals who have contributed to the development of the 2017 Indiana Nursing Licensure Survey Data Report. The license and survey data were provided by the Indiana Professional Licensing Agency through the Indiana State Department of Health. An advisory committee comprised of representatives from Indiana University School of Nursing, Purdue University School of Nursing, University of Southern Indiana, Indiana Center for Nursing, Council of Indiana Nursing Deans and Directors and Indiana State Nurses Association provided guidance in the development of this report. The Bowen Center also recognizes the collaborative and technical support provided by the Department of Biostatistics at IU Richard M. Fairbanks School of Public Health. Finally, the Bowen Center is grateful to the financial support for this project, provided by the Indiana State Department of Health, the Family and Social Services Administration and the Department of Workforce Development.

Copyright:

© 2018 Bowen Center for Health Workforce Research and Policy Department of Family Medicine Indiana University School of Medicine 1110 W. Michigan Street, Suite 200 Indianapolis, IN 46202

Recommended Citation:

Data Report: 2017 Indiana Nursing Licensure Survey (2018)

Bowen Center for Health Workforce Research and Policy. Indiana University School of Medicine.

Permalink: http://hdl.handle.net/1805/17195

Correspondence:

Please address any correspondence regarding this document to the Bowen Center for Health Workforce Research and Policy via email at bowenctr@iu.edu or by phone at 317.278.0316.

Authored By:Sierra Vaughn
Analise Dickinson

Hannah Maxey

Contributions By: Greg Puetz Natalie Layfield Yumin Wang Lacy Foy

Table of Contents

| Acknowledgments | i |
|--|----|
| Executive Summary | 1 |
| Section I: Background Information | 2 |
| Introduction | 2 |
| Methods | 2 |
| Survey Administration | 2 |
| Dataset Construction | 2 |
| Figure 1.1: Registered Nurse Survey Sample Selection Criteria | 3 |
| FTE Assignment | 4 |
| Table 1.1: FTE Calculation Based on Reported Hours per Week in Patient Care | 4 |
| Rurality | 4 |
| Limitations | 4 |
| Supplemental Data Tables | 4 |
| Section II: Total Nursing Workforce | 5 |
| Demographics | 5 |
| Table 2.1: Registered Nurse Demographic Characteristics | 5 |
| Educational Characteristics | 6 |
| Table 2.2: Registered Nurse Qualifying Education and Training | 6 |
| Table 2.3: Registered Nurse Highest Education and Training | 6 |
| Professional Characteristics | 7 |
| Table 2.4: Registered Nurse Work Position | 7 |
| Table 2.5: Registered Nurse Practice Setting | 7 |
| Table 2.6: Registered Nurse Practice Specialty | 8 |
| Table 2.7: Registered Nurse Future Plans | 8 |
| Geographic Distribution and Workforce Capacity | 9 |
| Table 2.8: Registered Nurse Hours per Week in Patient Care | 9 |
| Table 2.9: Geographic Distribution of Indiana RNs | 10 |
| Map 2.1 Geographic distribution of total Indiana Nurse workforce capacity | 11 |
| Section III: Overall APRN Workforce | 12 |
| Figure 3.1: Proportion of Registered Nurses identified as Advanced Practice Nurses | 12 |
| Figure 3.2: Reported Advanced Practice Registered Nurse Positions | |
| Demographics | 13 |
| Table 3.1: Advanced Practice Registered Nurse Demographic Characteristics | 13 |
| Educational Characteristics | |
| Table 3.2: Advanced Practice Registered Nurse Qualifying Education and Training | 14 |
| Table 3.3: Advanced Practice Registered Nurse Highest Education | 14 |

Table of Contents

| Professional Characteristics | 14 |
|--|----|
| Table 3.4: Advanced Practice Registered Nurses Work Position | 14 |
| Table 3.5: Advanced Practice Registered Nurse Practice Setting | 15 |
| Table 3.6: Advanced Practice Registered Nurse Employment Specialty | 15 |
| Table 3.7: Advanced Practice Registered Nurse Future Plans | 16 |
| Table 3.8: Advanced Practice Registered Nurse Hours per week in Patient Care | 16 |
| Table 3.9: Advanced Practice Registered Nurse Workforce Capacity | 17 |
| Map 3.1 Advanced Practice Registered Nurse Workforce Capacity by County | 18 |
| Closing Summary | 19 |

Executive Summary

The Bowen Center for Health Workforce Research and Policy (Bowen Center) has a rich history of collecting, analyzing and disseminating health workforce data and research for the State of Indiana. These efforts are important to informing health workforce policy and planning initiatives throughout the State. Registered nurses (RNs) are the largest licensed profession within the health workforce. Data on supply and distribution of this profession is critical to informing related initiatives regarding education, training and health care delivery.

The 2017 Indiana Nursing Licensure Survey Data Report presents key information collected from the nursing licensure survey administered by the Indiana Professional Licensing Agency during the biennial license renewal cycle. As of November 2017, 110,651 RNs renewed their license to practice in Indiana. Of these, 69,685 (63%) self-reported actively practicing in nursing and had a license address in Indiana.

Highlights from the demographic information contained in this report demonstrate that the majority of Indiana RNs self-report being white, non-Hispanic and female. The average age of RNs is 44.4 and 28.1% of those included in this report are under age 35. Though this is a relatively young workforce, just under a quarter (24.1%) of RNs were found to be over the age of 55. With these current demographics, increasing diversity in this workforce is a priority for nursing leaders. With regards to self-reported educational characteristics, majority (83.5%) of RNs obtained their qualifying nursing education in Indiana, indicating high retention of nursing students in Indiana. Additionally, 58.7% of RNs included in this report reported having obtained a Bachelor of Science in Nursing (BSN) or higher as their highest nursing education, showing progress in the achievement of the Institute of Medicine recommendation of 80% of RNs obtaining a BSN by 2020¹. Professionally, 58.5 % of RNs reported practicing in a hospital and 19.2% reported having a specialty in acute care/critical care. RNs also demonstrate high capacity in providing clinical services, though counties such as Lagrange and Benton have the lowest RN workforce capacity. Additional information on Indiana's RN workforce is described throughout this report specialty.

Advanced practice registered nurses (APRNs) make up around 7.5% of the RN workforce, with 82.9% practicing as a nurse practitioner. APRNs have similar characteristics to the overall RN workforce; majority self-identifying as non-Hispanic (96.9%) and White (90.0%); less than half (45.6%) qualified for this first nursing degree with a BSN and most (89.4%) reported an MSN as their highest nursing education. Professionally, the highest percentage of APRNs reported working in an outpatient clinic (45.8%) and having a specialty in primary care (38.3%). APRNs also demonstrate high capacity for clinical services as 75.5% reported working more than 32 hours per week. More information on Indiana's advanced practice registered nurses (APRNs) is presented in a separate section of this report.

The 2017 Indiana Nursing Licensure Survey Data Report is a snapshot of Indiana's RN workforce. It presents key information for the purpose of informing initiatives aimed at improving health care for Indiana residents and empowering this invaluable workforce.

¹Institute of Medicine. The Future of Nursing: Leading Change, Advancing Health. Washington, D.C.: The National Academies Press; 2011

Section I: Background Information

Registered nurses are a foundational part of health care delivery. They practice in a variety of specialties and settings. The 2017 Nursing Licensure Survey Data Report presents key information collected from the nursing re-licensure survey administered by the Indiana Professional Licensing Agency (IPLA) during the 2017 license renewal cycle. This report includes data on Indiana's registered nurse (RN) workforce which may be used to promote meaningful policy discussion and inform evidence-based health workforce policy development.

The data in this report are broken into two sections, including: [1] the total RN workforce and [2] advanced practice registered nurse (APRN) workforce. Each section reports data on demographic and professional characteristics as well as important supply and geographic distribution information.

Methods

Survey Administration

Indiana's nursing re-licensure survey was adapted from the Nursing Minimum Data Set (MDS) created by the Health Resources and Services Administration (HRSA), National Center for Health Workforce Analysis² and designed to meet the data needs of Indiana. HRSA has established MDS tools for many licensed health professionals to facilitate the development of national databases with consistent core data elements covering demographic, educational, credentialing, and practice characteristics of the health professions. Indiana's nursing re-licensure survey was administered by the IPLA during the biennial licensure renewal period. Registered nurses (RNs) who renewed their license electronically were invited to complete the voluntary online survey.

Dataset Construction

The data used to generate this report were extracted from the nursing base license and the nursing survey data files provided by the IPLA. The base license file contains administrative data such as license status, expiration date, license number, and date of birth. The survey license file contains responses from licensees to survey questions.

The survey file underwent structured cleaning and coding procedures in SAS 9.4© developed by the Bowen Center³. After these procedures were completed, the base license file was merged with the RN survey file by license number to create an RN Master File. The RN Master File was imported into the Indiana Health Professions Database in SQL Server Management Studio©.

License addresses were geocoded using standard procedures by the Polis Center⁴. Sample selection criteria were applied to the survey response data to define the sample of RNs actively practicing in Indiana. Therefore, the following inclusion criteria were applied:

- 1. Nurse renewed license in 2017;
- 2. Nurse holds an active, valid to practice while under review or probationary license;
- 3. Nurse responded to the 2017 re-licensure survey;
- 4. Nurse reported actively working in nursing; and
- 5. Nurse reported an Indiana licensure address

² https://bhw.hrsa.gov/health-workforce-analysis/data

³Additional details on the cleaning and coding procedures are available upon request through email to Bowenctr@iu.edu.

⁴Geocoding process involves standardizing addresses using 360Science software and geocoding using address locator software. Procedures return geographical coordinates for the license address as well as county federal information processing standards (FIPS) code and census block ID. Values are returned to the Indiana Health Professions Database for data reporting.

Registered nurses who did not meet these criteria were excluded from the sample for this report. Figure 1 provides a diagram of RNs who met the criteria for inclusion into the study sample. The final sample includes 69,685 RNs who held an active, 'valid to practice while under review' or probationary license, reported actively working in nursing, and provided an Indiana licensure address which could be verified.




Figure 1.1: 2017 Registered Nurse Survey Sample Selection Criteria

FTE Assignment

A full-time equivalent (FTE) was assigned to each individual based on his or her survey response indicating the average number of hours per week spent in direct patient care. FTEs were assigned to each individual in order to accurately map the distribution of the RN workforce throughout Indiana. Geographic information system (GIS) maps present the distribution of the workforce by population-to-FTE throughout the report. Individuals in each hourly category were assigned an FTE as shown in Table 1.1.

Table 1.1: FTE Calculation Based on Reported Hours per Week in Patient Care

| Reported Hours per Week in Patient Care | Assigned FTE |
|---|--------------|
| 0 | 0 |
| 1 – 4 | 0.1 |
| 5 – 8 | 0.2 |
| 9 – 12 | 0.3 |
| 13 – 16 | 0.4 |
| 17 – 20 | 0.5 |
| 21 – 24 | 0.6 |
| 25 – 28 | 0.7 |
| 29 – 32 | 0.8 |
| 33 – 36 | 0.9 |
| 37 – 40 | 1 |
| 41 or more | 1 |

Rurality

County rurality was determined by population. If a county had a population of at least 50,000 it was designated as "urban". If the county population was less than 50,000 the county was designated as "rural".

Limitations

The analyses and data presented in this report have several key limitations that should be taken into account when utilizing and interpreting these data. First, percentages provided in the descriptive tables were rounded to the nearest decimal. Thus, percentages may not equal 100% exactly. Second, the information in this report includes self-reported responses to a voluntary survey. As is the case with all survey research, it is likely that there is some level of response bias. In this case, it is possible that responses to a question do not reflect the absolute practice characteristics of a provider. Although these self-reported data may not be considered absolute, they offer a best estimate of a provider's practice characteristic for the purpose of informing policy discussions.

Additionally, the data presented in this report only represent a sample of the entire nursing workforce. Due to missing data and the voluntary nature of the survey some nurses are not represented in the final sample of this report. Although, only a sample is present in these data, it is a fairly large sample of the nursing workforce and may be valuable in informing health workforce policies. Moreover, a previous analysis of concordance rates between county of practice address and county of license address suggest that license address is an appropriate geographic indicator for registered nurses.

Lastly, the nursing licensure survey has been updated several times over the years in order to meet the needs of the State of Indiana and due to changes in the methodology for administration of the survey. Therefore, trend analyses on these data are not presented in this report due to changes in the data collection process and questions asked on the survey.

Supplemental Data Tables

The primary purpose of the 2017 Indiana Nursing Licensing Survey is to provide a snapshot of key information pertaining to the nursing workforce in Indiana. This report presents highlights of the 2017 nursing survey data. Additional data tables, maps and reports may be made available online through the Bowen Center website's Technical Assistance Request Form at bowenportal.org.

Section II: Overall Nursing Workforce

This section presents demographics and practice characteristics for the Indiana RN workforce survey sample. Of the 110,651 RNs who renewed their license in 2017, 69,685 reported actively practicing in nursing and had an Indiana license address. These tables have been generated in response to the expressed needs of the nursing advisory committee.

Demographics

The average age of the nursing workforce is 44.4 years. Male RNs – having an average age of 44 and 26.3% under the age of 35 – are slightly younger than their female counterparts who have an average age of 45.7. Self-reported data on RN's race and ethnicity demonstrate little diversity. The nursing workforce is largely non-Hispanic (96.7%) and white (90.7%). Black or African American nurses make up the largest minority at 4.2%. Table 2.1 provides more details on the demographic characteristics of the RN workforce.

Table 2.1: Registered Nurse Demographic Characteristics

| | Female | | Ma | ale | Non-Res | pondents | Total | |
|----------------------------------|--------|-------|-------|-------|---------|----------|--------|-------|
| Mean Age | 45.7 | | 44.0 | | 33.1 | | 44 | 1.4 |
| | N | % | N | % | N | % | N | % |
| Age Groups | | | | | | | | |
| Under 35 | 14,227 | 24.0 | 1,006 | 26.3 | 4,332 | 66.4 | 19,565 | 28.1 |
| 35 - 44 | 14,630 | 24.7 | 1,076 | 28.1 | 1,192 | 18.3 | 16,898 | 24.2 |
| 45 - 54 | 14,704 | 24.8 | 997 | 26.1 | 586 | 9.0 | 16,287 | 23.4 |
| 55 - 64 | 13,158 | 22.2 | 627 | 16.4 | 288 | 4.4 | 14,073 | 20.2 |
| 65 and Older | 2,531 | 4.3 | 115 | 3.0 | 73 | 1.1 | 2,719 | 3.9 |
| Non-Respondents | 87 | 0.1 | 5 | 0.1 | 51 | 0.8 | 143 | 0.2 |
| Total | 59,337 | 100.0 | 3,826 | 100.0 | 6,522 | 100.0 | 69,685 | 100.0 |
| Ethnicity | | | | | | | | |
| Hispanic or Latino | 1,337 | 2.3 | 124 | 3.2 | 254 | 3.9 | 1,715 | 2.5 |
| Not Hispanic or Latino | 57,529 | 97.0 | 3,648 | 95.3 | 6,247 | 95.8 | 67,424 | 96.8 |
| Non-Respondent | 471 | 0.8 | 54 | 1.4 | 21 | 0.3 | 546 | 0.8 |
| Total | 59,337 | 100.0 | 3,826 | 100.0 | 6,522 | 100.0 | 69,685 | 100.0 |
| Race | | | | | | | | |
| White | 54,204 | 91.3 | 3,336 | 87.2 | 5,650 | 86.6 | 63,190 | 90.7 |
| American Indian or Alaska Native | 97 | 0.2 | 7 | 0.2 | 8 | 0.1 | 112 | 0.2 |
| Native Hawaiian/Pacific Islander | 39 | 0.1 | 5 | 0.1 | 6 | 0.1 | 50 | 0.1 |
| Black or African American | 2,381 | 4.0 | 159 | 4.2 | 385 | 5.9 | 2,925 | 4.2 |
| Asian | 698 | 1.2 | 91 | 2.4 | 162 | 2.5 | 951 | 1.4 |
| Other | 687 | 1.2 | 94 | 2.5 | 138 | 2.1 | 919 | 1.3 |
| Multiracial | 558 | 0.9 | 75 | 2.0 | 127 | 1.9 | 760 | 1.1 |
| Non-Respondents | 673 | 1.1 | 59 | 1.5 | 46 | 0.7 | 778 | 1.1 |
| Total | 59,337 | 100.0 | 3,826 | 100.0 | 6,522 | 100.0 | 69,685 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Notes: Age was calcualted as the difference between the respondent's date of birth and the date of survey completion.

Educational Characteristics

Self-reported educational characteristics demonstrate Indiana successfully retaining many nurses who trained in the state. Over 58,000 (~80%) reported receiving their qualifying education in Indiana. Of the RNs who self-reported completing their qualifying education in Indiana, around half (50.1%) reported their qualifying education being an associate degree in nursing (ASN) while 42.9% reported having completed a baccalaureate degree in nursing (BSN) as their qualifying education. Table 2.2 provides details on qualifying education.

When asked about highest education, 46.2% of respondents reported having obtained a BSN as their highest nursing education, followed by 37.2% reporting an ASN as their highest nursing education. Smaller percentages of RNs reported having an MSN (11.6%) or a doctoral nursing degree (0.9%) as their highest nursing education. Table 2.3 provides more details on RNs' highest nursing and non-nursing education.

Table 2.2: Registered Nurse Qualifying Education and Training

| Total | Indi | ana | Contiguo | us States | Anothe | er State | Another (not | Country U.S.) | Non-Res | pondents | То | tal |
|--------------------------------|--------|-------|----------|-----------|--------|----------|-----------------|------------------|---------|----------|--------|-------|
| Qualifying Nursing Education | N | % | N | % | N | % | N | % | N | % | N | % |
| Diploma – nursing | 2,558 | 4.4 | 757 | 11.5 | 385 | 9.9 | 119 | 20.2 | 12 | 3.0 | 3,831 | 5.5 |
| Associate degree – nursing | 29,167 | 50.1 | 3,417 | 51.7 | 1,738 | 44.6 | 65 | 11.1 | 127 | 31.8 | 34,514 | 49.5 |
| Baccalaureate degree – nursing | 24,952 | 42.9 | 2,194 | 33.2 | 1,596 | 41.0 | 384 | 65.3 | 75 | 18.8 | 29,201 | 41.9 |
| Master's degree – nursing | 1,224 | 2.1 | 197 | 3.0 | 147 | 3.8 | 17 | 2.9 | 3 | 0.8 | 1,588 | 2.3 |
| Doctoral degree – nursing | 59 | 0.1 | 14 | 0.2 | 11 | 0.3 | 1 | 0.2 | 0 | 0.0 | 85 | 0.1 |
| Non-Respondents | 230 | 0.4 | 32 | 0.5 | 19 | 0.5 | 2 | 0.3 | 183 | 45.8 | 466 | 0.7 |
| Total | 58,190 | 100.0 | 6,611 | 100.0 | 3,896 | 100.0 | 588 | 100.0 | 400 | 100.0 | 69,685 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Notes: Contiguous States include Michigan, Illinois, Kentucky and Ohio

Table 2.3: Registered Nurse Highest Education and Training

| Highest Nursing Education | N | % |
|------------------------------------|--------|-------|
| Diploma – nursing | 2,582 | 3.7 |
| Associate degree – nursing | 25,897 | 37.2 |
| Baccalaureate degree – nursing | 32,185 | 46.2 |
| Master's degree – nursing | 8,049 | 11.6 |
| Doctoral degree – nursing | 610 | 0.9 |
| Non-Respondents | 362 | 0.5 |
| Total | 69,685 | 100.0 |
| Highest Non-Nursing Education | N | % |
| Not Applicable | 48,272 | 69.3 |
| Diploma – non-nursing | 4,465 | 6.4 |
| Associate degree – non-nursing | 4,858 | 7.0 |
| Baccalaureate degree – non-nursing | 8,975 | 12.9 |
| Master's degree – non-nursing | 2,089 | 3.0 |
| Doctoral degree – non-nursing | 213 | 0.3 |
| Non-Respondents | 813 | 1.2 |
| Total | 69,685 | 100.0 |

Professional Characteristics

Tables 2.4 - 2.6 provide information on the professional characteristics of RNs. Majority (86.4%) of RNs reported currently having only one paid position. Professionally, the greatest percentage (66%) of registered nurses work as a staff nurse, followed by nurse manager (9.2%) and other – health related position (8.9%). A hospital setting was the most common practice setting with 58.8% reporting this as their primary practice setting. Nearly one-fifth (19.8%) of RNs reported a specialty in acute care or critical care, followed by 12.1% in a medical surgical specialty.

Table 2.4: Registered Nurse Work Position

| Paid Positions | N | % |
|------------------------------------|--------|-------|
| 1 position | 60,224 | 86.4 |
| 2 positions | 7,170 | 10.3 |
| 3 positions | 619 | 0.9 |
| 4 or more positions | 107 | 0.2 |
| Not applicable | 159 | 0.2 |
| Non-Respondents | 1,406 | 2.0 |
| Total | 69,685 | 100.0 |
| Primary Position | N | % |
| Consultant/Nurse Researcher | 942 | 1.4 |
| Nurse Executive | 1,392 | 2.0 |
| Nurse Manager | 6,437 | 9.2 |
| Advanced Practice Nurse | 4,797 | 6.9 |
| Staff Nurse | 45,960 | 66.0 |
| Nurse Educator (faculty) | 1,292 | 1.9 |
| Nurse Educator (staff development) | 886 | 1.3 |
| Nurse Educator (patient educator) | 846 | 1.2 |
| Other – Health Related | 6,233 | 8.9 |
| Not Applicable | 329 | 0.5 |
| Non-Respondents | 571 | 0.8 |
| Total | 69,685 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Table 2.5: Registered Nurse Practice Setting

| Primary Work Setting | N | % |
|--|--------|-------|
| Hospital | 40,955 | 58.8 |
| Nursing Home/Extended Care Facility/Assisted Living Facility | 4,722 | 6.8 |
| Home Health | 4,156 | 6.0 |
| Correctional Facility | 291 | 0.4 |
| Academic Setting | 1,338 | 1.9 |
| Public/Community Health | 1,094 | 1.6 |
| School-Based Health | 1,409 | 2.0 |
| Occupational Health | 504 | 0.7 |
| Outpatient Clinic | 9,201 | 13.2 |
| Insurance Claims/Benefits | 1,115 | 1.6 |
| Policy/Planning/Licensing Agency | 43 | 0.1 |
| Other | 3,704 | 5.3 |
| Non-Respondents | 1,153 | 1.7 |
| Total | 69,685 | 100.0 |

Table 2.6: Registered Nurse Pracrtice Specialty

| Employment Specialty | N | % |
|---|--------|-------|
| Acute Care/Critical Care | 13,372 | 19.2 |
| Adult Health/Family Health | 3,285 | 4.7 |
| Anesthesia | 837 | 1.2 |
| Community | 625 | 0.9 |
| Geriatric/Gerontology | 3,507 | 5.0 |
| Home Health | 2,805 | 4.0 |
| Maternal-Child Health | 3,013 | 4.3 |
| Medical Surgical | 7,919 | 11.4 |
| Occupational Health | 458 | 0.7 |
| Oncology | 1,902 | 2.7 |
| Palliative Care | 767 | 1.1 |
| Patient Education | 410 | 0.6 |
| Pediatrics/Neonatal | 3,555 | 5.1 |
| Public Health | 484 | 0.7 |
| Psychiatric/Mental Health/Substance Abuse | 2,073 | 3.0 |
| Rehabilitation | 1,223 | 1.8 |
| School Health | 1,312 | 1.9 |
| Trauma | 1,650 | 2.4 |
| Women's Health | 1,375 | 2.0 |
| Other | 8,197 | 11.8 |
| I do not provide direct patient care | 8,720 | 12.5 |
| Non-Respondents | 2,196 | 3.2 |
| Total | 69,685 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

As displayed in table 2.7, the majority (83.1%) of RNs reported that they plan to "continue working as they are" for the next 2 years. Nearly one-third (32.9%) of RNs reported an intent to pursue further education in the next 2 years; 14.6% reported intending to pursue a BSN and 13.7% reported intending to pursue a master's degree in nursing (MSN).

Table 2.7: Registered Nurse Future Plans

| Employment Plans for the next 2 years | N | % |
|---|--------|-------|
| Continue as you are | 58,009 | 83.2 |
| Increase hours | 4,012 | 5.8 |
| Decrease hours | 2,527 | 3.6 |
| Seek non-clinical job | 688 | 1.0 |
| Retire | 1,213 | 1.7 |
| Unknown | 2,625 | 3.8 |
| Non-Respondents | 611 | 0.9 |
| Total | 69,685 | 100.0 |
| Degree Anticipated to Pursue in the Next 2 Years | N | % |
| Bachelor's Degree – Nursing | 10,183 | 14.6 |
| Bachelor's Degree – Other Field | 326 | 0.5 |
| Master's Degree – Nursing | 9,530 | 13.7 |
| Master's Degree – Other Field | 826 | 1.2 |
| Doctor of Nursing Practice (DNP) | 1,608 | 2.3 |
| PhD – Nursing | 229 | 0.3 |
| Doctoral Degree – Other Field | 192 | 0.3 |
| I do not intend to pursue further education in the next 2 years | 46,232 | 66.3 |
| Non-Respondents | 559 | 0.8 |
| Total | 69,685 | 100.0 |

Geographic Distribution and Workforce Capacity

Population-to-provider FTE (PPR) ratios is a key measure used for determining workforce capacity and distribution. There is no standardized population to provider ratio benchmark for determining a shortage of RNs; however, this measure is useful for assessing distribution and determining potential gaps in workforce capacity.

Regarding hours spent in patient care, the greatest percentage (73.4%) of RNs reported working more than 32 hours per week in patient care, and nearly one-fifth (19.4%) reported working 41 or more hours per week in patient care (Table 2.8).


Two of the highest PPRs were found in Lagrange County (245) and Benton County (190). These counties are both rural and have consistently had little to no workforce capacity in their service area. The smallest PPRs are found in more metropolitan counties, such as Boone County (60:1) and Warrick County (63:1). On the following pages table 2.9 provides more details on registered nurse workforce capacity in Indiana and Map 2.1 provides the geographic distribution of RN workforce capacity.

Table 2.8: Registered Nurse Hours per Week in Patient Care

| Primary Practice Hours | N | % |
|---------------------------|--------|-------|
| 0 hours per week | 265 | 0.4 |
| 1-4 hours per week | 670 | 1.0 |
| 5-8 hours per week | 959 | 1.4 |
| 9-12 hours per week | 1,223 | 1.8 |
| 13-16 hours per week | 1,193 | 1.7 |
| 17-20 hours per week | 1,614 | 2.3 |
| 21-24 hours per week | 4,071 | 5.8 |
| 25-28 hours per week | 3,462 | 5.0 |
| 29-32 hours per week | 3,478 | 5.0 |
| 33-36 hours per week | 11,438 | 16.4 |
| 37-40 hours per week | 26,188 | 37.6 |
| 41 or more hours per week | 13,497 | 19.4 |
| Non-Respondents | 1,627 | 2.3 |
| Total | 69,685 | 100.0 |

Table 2.9: Geographic Distribution of Indiana RNs

| Country | D | Population to | Country | Down lite | Population to |
|-------------|----------|-----------------------|-------------|-----------|----------------|
| County | Rurality | Provider Ratio | County | Rurality | Provider Ratio |
| Adams | Rural | 95 | Lawrence | Rural | 112 |
| Allen | Urban | 78 | Madison | Urban | 105 |
| Bartholomew | Urban | 108 | Marion | Urban | 108 |
| Benton | Rural | 190 | Marshall | Rural | 116 |
| Blackford | Rural | 121 | Martin | Rural | 80 |
| Boone | Urban | 60 | Miami | Rural | 108 |
| Brown | Urban | 79 | Monroe | Urban | 127 |
| Carroll | Urban | 87 | Montgomery | Rural | 154 |
| Cass | Rural | 126 | Morgan | Urban | 88 |
| Clark | Urban | 98 | Newton | Urban | 147 |
| Clay | Urban | 95 | Noble | Rural | 141 |
| Clinton | Rural | 127 | Ohio | Urban | 116 |
| Crawford | Rural | 189 | Orange | Rural | 163 |
| Daviess | Rural | 116 | Owen | Rural | 148 |
| Dearborn | Urban | 128 | Parke | Rural | 154 |
| Decatur | Rural | 105 | Perry | Rural | 154 |
| DeKalb | Rural | 104 | Pike | Rural | 102 |
| Delaware | Urban | 114 | Porter | Urban | 70 |
| Dubois | Rural | 76 | Posey | Urban | 92 |
| Elkhart | Urban | 135 | Pulaski | Rural | 100 |
| Fayette | Rural | 98 | Putnam | Urban | 115 |
| Floyd | Urban | 81 | Randolph | Rural | 100 |
| Fountain | Rural | 122 | Ripley | Rural | 93 |
| Franklin | Urban | 105 | Rush | Rural | 89 |
| Fulton | Rural | 103 | St. Joseph | Urban | 105 |
| Gibson | Urban | 83 | Scott | Rural | 121 |
| Grant | Rural | 89 | Shelby | Urban | 89 |
| Greene | Urban | 108 | Spencer | Rural | 110 |
| Hamilton | Urban | 54 | Starke | Rural | 95 |
| Hancock | Urban | 59 | Steuben | Rural | 124 |
| Harrison | Urban | 85 | Sullivan | Urban | 83 |
| Hendricks | Urban | 55 | Switzerland | Rural | 141 |
| Henry | Rural | 98 | Tippecanoe | Urban | 120 |
| Howard | Urban | 88 | Tipton | Urban | 93 |
| Huntington | Rural | 107 | Union | Rural | 94 |
| Jackson | Rural | 134 | Vanderburgh | Urban | 95 |
| Jasper | Urban | 94 | Vermillion | Urban | 124 |
| Jay | Rural | 123 | Vigo | Urban | 97 |
| Jefferson | Rural | 99 | Wabash | Rural | 146 |
| Jennings | Rural | 152 | Warren | Rural | 108 |
| Johnson | Urban | 64 | Warrick | Urban | 63 |
| Knox | Rural | 79 | Washington | Urban | 116 |
| Kosciusko | Rural | 146 | Wayne | Rural | 102 |
| LaGrange | Rural | 245 | Wells | Urban | 78 |
| Lake | Urban | 100 | White | Rural | 121 |
| LaPorte | Urban | 109 | Whitley | Urban | 77 |



Section III: Overall APRN Workforce

This section presents demographic and professional characteristics of Indiana's advanced practice registered nurses (APRNs). In 2017, 5,240 nurses were identified as either having an APRN prescriptive authority license or having reported their primary work position as an advanced practice registered nurse. APRNs represent approximately 7.5% of the total RN workforce (Figure 3.1).

APRNs have additional training, education and scope of practice as compared to RNs that are not APRNs. For instance, APRNs have the capacity to examine, treat and – in some cases – prescribe medications for patients under a contractual arrangement with a physician as required by the Indiana Nurse Practice Act (Ind. Code 25-23). APRNs also have the ability to work in specialized positions. Indiana's APRNs predominantly work as nurse practitioners (82.8%). Figure 3.2 provides more information on the positions of Indiana's APRNs.





Figure 3.1 Proportion of Registered Nurses identified as Advanced Practice Nurses





^{*}APRNs were identified by whethere they had an APN prescriptive authority license or reported their primary work position as an APRN. These nurses may have indicated in subsequent questions that they are not an APRN because they are not in clinical practice (education, administration, etc.) or because they incorrectly identified as an APRN.

Demographics

The average age of the advanced practice nurse workforce is 45.3 years, though female and male APNs have a similar average age (45.5 and 45.6 respectively). As with the overall RN workforce, the majority of the APRN workforce self-reports being non-Hispanic (96.9%) and white (90.9%). Black or African American nurses make up the largest minority at 3.8%. Table 3.1 provides more details on the demographic characteristics of the APRN workforce.

Table 3.1: Advanced Practice Nurse Demographic Characteristics

| | Fen | nale | M | ale | Non-Res | pondents | Total | | |
|----------------------------------|-------|-------|------|-------|---------|----------|-------|-------|--|
| Mean Age | 45 | 5.5 | 45.6 | | 40.6 | | 45.3 | | |
| | N | % | N | % | N | % | N | % | |
| Age Groups | | | | | | | | | |
| Under 35 | 1,045 | 22.3 | 62 | 16.5 | 77 | 43.5 | 1,184 | 22.6 | |
| 35 - 44 | 1,373 | 29.3 | 132 | 35.1 | 44 | 24.9 | 1,549 | 29.6 | |
| 45 - 54 | 1,123 | 24.0 | 104 | 27.7 | 30 | 16.9 | 1,257 | 24.0 | |
| 55 - 64 | 936 | 20.0 | 65 | 17.3 | 21 | 11.9 | 1,022 | 19.5 | |
| 65 and Older | 205 | 4.4 | 13 | 3.5 | 5 | 2.8 | 223 | 4.3 | |
| Non-Respondents | 3 | 0.1 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | |
| Total | 4,685 | 100.0 | 376 | 100.0 | 177 | 100.0 | 5,238 | 100.0 | |
| Ethnicity | | | | | | | | | |
| Hispanic or Latino | 93 | 2.0 | 11 | 2.9 | 5 | 2.8 | 109 | 2.1 | |
| Not Hispanic or Latino | 4,548 | 97.1 | 357 | 94.9 | 171 | 96.6 | 5,076 | 96.9 | |
| Non-Respondent | 44 | 1.0 | 8 | 2.1 | 1 | 0.6 | 53 | 1.0 | |
| Total | 4,685 | 100.0 | 376 | 100.0 | 177 | 100.0 | 5,238 | 100.0 | |
| Race | | | | | | | | | |
| White | 4,292 | 91.6 | 318 | 84.6 | 150 | 84.7 | 4,760 | 90.9 | |
| American Indian or Alaska Native | 7 | 0.1 | 1 | 0.3 | 1 | 0.6 | 9 | 0.2 | |
| Native Hawaiian/Pacific Islander | 4 | 0.1 | 0 | 0.0 | 0 | 0.0 | 4 | 0.1 | |
| Black or African American | 168 | 3.6 | 22 | 5.9 | 10 | 5.6 | 200 | 3.8 | |
| Asian | 55 | 1.2 | 7 | 1.9 | 3 | 1.7 | 65 | 1.2 | |
| Other | 52 | 1.1 | 12 | 3.2 | 6 | 3.4 | 70 | 1.3 | |
| Multiracial | 38 | 0.8 | 10 | 2.7 | 3 | 1.7 | 51 | 1.0 | |
| Non-Respondents | 69 | 1.5 | 6 | 1.6 | 4 | 2.3 | 79 | 1.5 | |
| Total | 4,685 | 100.0 | 376 | 100.0 | 177 | 100.0 | 5,238 | 100.0 | |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Notes: Age was calcualted as the difference between the respondent's date of birth and the date of survey completion.

Education and Training

Education characteristics demonstrate in-state retention rates of APRNs that are comparable to the overall RN workforce. Of the APRNs practicing in Indiana, 3,686 (70.4%) received their qualifying education in Indiana. Of those trained in Indiana, 46.5% qualified for their first nursing license with a BSN while 29% qualified with an ASN. The majority (89.4%) of APRNs also reported having an MSN as their highest education. Tables 3.2 and 3.3 on the following page provide details on educational characteristics.

Table 3.2: Advanced Practice Registered Nurse Qualifying Education and Training

| Total | Indi | iana | Contiguo | ous States | Anothe | er State | Anothe | County | Non-Res | pondents | То | tal |
|-------------------------------------|-------|-------|----------|------------|--------|----------|--------|--------|---------|----------|-------|-------|
| Qualifying Nursing Education | N | % | N | % | N | % | N | % | N | % | N | % |
| Diploma – nursing | 153 | 3.8 | 74 | 11.4 | 37 | 7.1 | 10 | 30.3 | 0 | 0.0 | 274 | 5.2 |
| Associate degree – nursing | 1,156 | 29.0 | 175 | 27.0 | 130 | 24.9 | 4 | 12.1 | 7 | 14.6 | 1,472 | 28.1 |
| Baccalaureate degree – nursing | 1,852 | 46.5 | 273 | 42.1 | 246 | 47.0 | 13 | 39.4 | 6 | 12.5 | 2,390 | 45.6 |
| Master's degree – nursing | 770 | 19.3 | 117 | 18.1 | 101 | 19.3 | 5 | 15.2 | 1 | 2.1 | 994 | 19.0 |
| Doctoral degree – nursing | 38 | 1.0 | 7 | 1.1 | 8 | 1.5 | 1 | 3.0 | 0 | 0.0 | 54 | 1.0 |
| Non-Respondents | 17 | 0.4 | 2 | 0.3 | 1 | 0.2 | 0 | 0.0 | 34 | 70.8 | 54 | 1.0 |
| Total | 3,986 | 100.0 | 648 | 100.0 | 523 | 100.0 | 33 | 100.0 | 48 | 100.0 | 5,238 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017 Notes: Contiguous States include Michigan, Illinois, Kentucky and Ohio

Table 3.3: Advanced Practice Registered Nurse Highest Education

| Highest Nursing Education | N | % |
|------------------------------------|-------|-------|
| Diploma – nursing | 15 | 0.3 |
| Associate degree – nursing | 31 | 0.6 |
| Baccalaureate degree – nursing | 152 | 2.9 |
| Master's degree – nursing | 4,682 | 89.4 |
| Doctoral degree – nursing | 310 | 5.9 |
| Non-Respondents | 48 | 0.9 |
| Total | 5,238 | 100.0 |
| Highest Non-Nursing Education | N | % |
| Not Applicable | 3,911 | 74.7 |
| Diploma – non-nursing | 83 | 1.6 |
| Associate degree – non-nursing | 146 | 2.8 |
| Baccalaureate degree – non-nursing | 695 | 13.3 |
| Master's degree – non-nursing | 277 | 5.3 |
| Doctoral degree – non-nursing | 38 | 0.7 |
| Non-Respondents | 88 | 1.7 |
| Total | 5,238 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Professional Characteristics

The majority (77.4%) of APRNs reported only one paid position. Professionally, the greatest percentage (82.8%) reported their primary position as a nurse practitioner, followed by clinical nurse specialists at 2.6%. Table 3.4 outlines practice characteristics.

Table 3.4: Advanced Practice Registered Nurse Work Position

| Paid Positions | N | % |
|---------------------------|-------|-------|
| 1 position | 4,054 | 77.4 |
| 2 positions | 871 | 16.6 |
| 3 positions | 142 | 2.7 |
| 4 or more positions | 22 | 0.4 |
| Not applicable | 9 | 0.2 |
| Non-Respondents | 140 | 2.7 |
| Total | 5,238 | 100.0 |
| Primary Position | N | % |
| Nurse Practitioner | 4,336 | 82.8 |
| Clinical Nurse Specialist | 134 | 2.6 |
| Certified Nurse Midwife | 87 | 1.7 |
| Non-Respondents | 681 | 13.0 |
| Total | 5,238 | 100.0 |

Nearly half (45.8%) of APRNs reported working in an outpatient clinic. The second largest group of Indiana APRNs work in a hospital setting (31.2%). Table 3.5 below provides more details on practice setting and hours in direct patient care.

Regarding Specialty, 38.3% of APRNs reported their specialty as a primary care, followed by 23.6% reporting having another specialty not listed in the survey. Table 3.6 provides more information on APRN employment specialty.

Table 3.5: Advanced Practice Registered Nurse Practice Setting

| Primary Work Setting | N | % |
|--|-------|-------|
| Hospital | 1,635 | 31.2 |
| Nursing Home/Extended Care Facility/Assisted Living Facility | 209 | 4.0 |
| Home Health | 116 | 2.2 |
| Correctional Facility | 23 | 0.4 |
| Academic Setting | 110 | 2.1 |
| Public/Community Health | 167 | 3.2 |
| School-Based Health | 43 | 0.8 |
| Occupational Health | 108 | 2.1 |
| Outpatient Clinic | 2,398 | 45.8 |
| Insurance Claims/Benefits | 10 | 0.2 |
| Other | 315 | 6.0 |
| Non-Respondents | 104 | 2.0 |
| Total | 5,238 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2015

Table 3.6: Advanced Practice Registered Nurse Employment Specialty

| APRN Employment Specialty | N | % |
|--|-------|-------|
| Primary Care Specialties | 2,004 | 38.2 |
| Internal Medicine Subspecialties | 335 | 6.4 |
| Pediatric Subspecialties | 284 | 5.4 |
| Obstetrics & Gynecology | 288 | 5.5 |
| General Surgery | 51 | 1.0 |
| Surgical Specialties | 158 | 3.0 |
| Psychiatry (Adult and Child) | 258 | 4.9 |
| Anesthesiology, Pathology, Radiology or Emergency Medicine | 346 | 6.6 |
| Other Specialty | 1,234 | 23.5 |
| I am not an APN | 70 | 1.3 |
| Non-Respondents | 212 | 4.0 |
| Total | 5,240 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2015

When asked about future plans, the largest percentage (84.7%) of APRNs have no plans to change their employment characteristics, though 6.7% plan to increase their hours in patient care. With regards to pursuing further education, 82.6% do not intend to pursue further education while 10.6% anticipate pursuing a doctor of nursing practice (DNP) in the next 2 years. Table 3.7 on the following page provides more details on future plans of APRNs.

Table 3.7: Advanced Practice Registered Nurse Future Plans

| Employment Plans for the next 2 years | N | % |
|---|-------|-------|
| Continue as you are | 4,438 | 84.7 |
| Increase hours | 353 | 6.7 |
| Decrease hours | 192 | 3.7 |
| Seek non-clinical job | 14 | 0.3 |
| Retire | 47 | 0.9 |
| Unknown | 123 | 2.3 |
| Non-Respondents | 71 | 1.4 |
| Total | 5,238 | 100.0 |
| Degree Anticipated to Pursue in the Next 2 Years | N | % |
| Bachelor's Degree – Nursing | 7 | 0.1 |
| Bachelor's Degree – Other Field | 3 | 0.1 |
| Master's Degree – Nursing | 125 | 2.4 |
| Master's Degree – Other Field | 61 | 1.2 |
| Doctor of Nursing Practice (DNP) | 556 | 10.6 |
| PhD – Nursing | 46 | 0.9 |
| Doctoral Degree – Other Field | 53 | 1.0 |
| I do not intend to pursue further education in the next 2 years | 4,324 | 82.6 |
| Non-Respondents | 63 | 1.2 |
| Total | 5,238 | 100.0 |

Source: Indiana Registered Nurse Re-Licensure Survey, 2017

Geographic Distribution and Workforce Capacity


Just over three quarters (75.5%) of APRNs reported working more than 32 hours per week in patient care. Moreover, 27.5% reported spending 41 or more hours in direct patient care. Two of the highest PPRs were found in Crawford County (10,591) and Pike County (6,343), both rural counties with consistently low health workforce capacity. Table 3.8 provides more details on the APRN workforce in Indiana and Map 3.1 provides the geographic distribution of workforce capacity in Indiana.

Table 3.8: Advanced Practice Registered Nurse Hours per week in Patient Care

| Primary Practice Hours | N | % |
|---------------------------|-------|-------|
| 0 hours per week | 9 | 0.2 |
| 1-4 hours per week | 30 | 0.6 |
| 5-8 hours per week | 45 | 0.9 |
| 9-12 hours per week | 84 | 1.6 |
| 13-16 hours per week | 94 | 1.8 |
| 17-20 hours per week | 126 | 2.4 |
| 21-24 hours per week | 234 | 4.5 |
| 25-28 hours per week | 203 | 3.9 |
| 29-32 hours per week | 327 | 6.2 |
| 33-36 hours per week | 564 | 10.8 |
| 37-40 hours per week | 1,950 | 37.2 |
| 41 or more hours per week | 1,443 | 27.5 |
| Non-Respondents | 129 | 2.5 |
| Total | 5,238 | 100.0 |

Table 3.9: Advanced Practice Registered Nurse Workforce Capacity

| County | Rurality | Population to Provider Ratio | | County | Rurality | Population to Provider Ratio |
|----------------|----------------|---------------------------------|--|-------------------|----------------|---------------------------------|
| A -l | Domeil | | | 1 | Decreal | |
| Adams Allen | Rural Urban | 3149 | | Lawrence | Rural Urban | 1579 |
| Bartholomew | Urban | 1006 | | Madison Marion | Urban | 1760 1374 |
| | | 1370 | | | 0.1.00.11 | |
| Benton | Rural | 1750 | | Marshall | Rural | 1269 |
| Blackford | Rural | 3119 | | Martin | Rural | 932 |
| Boone | Urban | 545 | | Miami | Rural | 1724 |
| Brown | Urban | 1154 | | Monroe | Urban | 1148 |
| Carroll | Urban | 1667 | | Montgomery | Rural | 2245 |
| Cass | Rural | 2137 | | Morgan | Urban | 1035 |
| Clark | Urban | 1154 | | Newton | Urban | 2342 |
| Clay | Urban | 1569 | | Noble | Rural | 1639 |
| Clinton | Rural | 3283 | | Ohio | Urban | 1206 |
| Crawford | Rural | 10591 | | Orange | Rural | 1793 |
| Daviess | Rural | 1473 | | Owen | Rural | 2649 |
| Dearborn | Urban | 1655 | | Parke | Rural | 1900 |
| Decatur | Rural | 1874 | | Perry | Rural | 1764 |
| DeKalb | Rural | 1929 | | Pike | Rural | 6343 |
| Delaware | Urban | 1725 | | Porter | Urban | 1047 |
| Dubois | Rural | 1208 | | Posey | Urban | 1826 |
| Elkhart | Urban | 1631 | | Pulaski | Rural | 1630 |
| Fayette | Rural | 1132 | | Putnam | Urban | 2091 |
| Floyd | Urban | 660 | | Randolph | Rural | 1505 |
| Fountain | Rural | 1688 | | Ripley | Rural | 1430 |
| Franklin | Urban | 1433 | | Rush | Rural | 1132 |
| Fulton | Rural | 1368 | | St. Joseph | Urban | 1527 |
| Gibson | Urban | 1683 | | Scott | Rural | 1486 |
| Grant | Rural | 1766 | | Shelby | Urban | 1083 |
| Greene | Urban | 2187 | | Spencer | Rural | 2317 |
| Hamilton | Urban | 536 | | Starke | Rural | 3302 |
| Hancock | Urban | 926 | | Steuben | Rural | 1631 |
| Harrison | Urban | 1225 | | Sullivan | Urban | 1759 |
| Hendricks | Urban | 778 | | Switzerland | Rural | 2100 |
| Henry | Rural | 2136 | | Tippecanoe | Urban | 1292 |
| Howard | Urban | 1561 | | Tipton | Urban | 1297 |
| Huntington | Rural | 2633 | | Union | Rural | 811 |
| Jackson | Rural | 1402 | | Vanderburgh | Urban | 1119 |
| Jasper | Urban | 1454 | | Vermillion | Urban | 3965 |
| Jay | Rural | 2125 | | Vigo | Urban | 1592 |
| Jefferson | Rural | 1411 | | Wabash | Rural | 2157 |
| Jennings | Rural | 3514 | | Warren | Rural | 1394 |
| Johnson | Urban | 1004 | | Warrick | Urban | 628 |
| Knox | Rural | 1585 | | Washington | Urban | 1551 |
| Kosciusko | Rural | 1813 | | Wayne | Rural | 1615 |
| LaGrange | Rural | 3462 | | Wells | Urban | 1323 |
| Lake | Urban | 1420 | | White | Rural | 2709 |
| LaPorte | Urban | 2181 | | Whitley | Urban | 2222 |



Map 3.1 Advanced Practice Registered Nurse Workforce Capacity by County

Closing Summary

RNs represent the largest licensed profession in the health workforce. As presented in this report, Indiana RNs practice in a diverse array of settings, specialties and locations. The data presented here can be used to inform workforce related initiatives. For example, like many health professions, Indiana's RN workforce has very little racial and ethnic diversity. Increasing diversity among RNs is a strategic priority for nursing education. Indiana retention rate of RNs after completion of their education and training is high (in other words, we keep our RNs). As the primary pipeline for RNs, Indiana nursing educators can leverage these data to inform, advance, and evaluate diversity initiatives.

This report provides a snapshot of the RN workforce. The Bowen Center is committed to continuous improvement in our reporting on Indiana's RN workforce. The data presented in this report are also available through the BowenPortal.org. The Portal offers users the ability to generate interactive GIS maps, develop customized reports, and download data for customized analyses. We welcome feedback on this report and/or inquiries for customized reports through email at bowenctr@iu.edu.